

Falcon LED Flood Light Range Specification Sheet

### Datasheet

**FLF** Range

# **Falcon LED Flood Lights**



The Falcon range of LED flood lights are a modern replacement for old Tungsten Halogen, metal halide or SON flood lights. Ideal for any out door use - be in domestic, commercial or industrial, these versatile flood with a twisted bracket for easy install are the ideal energy saving solution for your needs. They come with a high Lumen Output and prewired for easy install. These fittings are available with and without sensor





#### Tezla LED Flood Light Range Specification Sheet


## **LED Flood Light Range**

10W - 50W

Domestic small floods

Aluminium heat sink


Tempered glass front




Efficiency - Up to 110+ Lumen per Watt

Code	FLF10	FLF20	FLF30	FLF50
Watt	10W	20W	30W	50W
Lumen Output	940 Lumen	2,000 Lumen	3,150 Lumen	5,400 Lumen

- 220 240 Volt
- 50/60 Hz
- -20° to +40°
- 30,000 hours
- 3 Year warranty
- Pre-wired for easy install
- Twisted bracket for easy install









#### Tezla LED Flood Light Range Specification Sheet

### **LED Flood Light Range**

10W - 50W

c/w PIR Sensor

Domestic small floods

Aluminium heat sink

Tempered glass front




Efficiency - Up to 110+ Lumen per Watt

Code	SLF10	SLF20	SLF30	SLF50
Watt	10W	20W	30W	50W
Lumen Output	940 Lumen	2,000 Lumen	3,150 Lumen	5,400 Lumen

- 220 240 Volt
- 50/60 Hz
- -20° to +40°
- 30,000 hours
- 3 Year warranty
- Pre-wired for easy install
- Twisted bracket for easy







LED 30W

FALCON

